



## familial pityriasis rubra pilaris

Familial pityriasis rubra pilaris is a rare genetic condition that affects the skin. The name of the condition reflects its major features: The term "pityriasis" refers to scaling; "rubra" means redness; and "pilaris" suggests the involvement of hair follicles in this disorder. Affected individuals have a salmon-colored skin rash covered in fine scales. This rash occurs in patches all over the body, with distinct areas of unaffected skin between the patches. Affected individuals also develop bumps called follicular keratoses that occur around hair follicles. The skin on the palms of the hands and soles of the feet often becomes thick, hard, and callused, a condition known as palmoplantar keratoderma.

Researchers have distinguished six types of pityriasis rubra pilaris based on the features of the disorder and the age at which signs and symptoms appear. The familial form is usually considered part of type V, which is also known as the atypical juvenile type. People with familial pityriasis rubra pilaris typically have skin abnormalities from birth or early childhood, and these skin problems persist throughout life.

### Frequency

Familial pityriasis rubra pilaris is a rare condition. Its incidence is unknown, although the familial form appears to be the least common type of pityriasis rubra pilaris.

### Genetic Changes

In most cases of pityriasis rubra pilaris, the cause of the condition is unknown. However, mutations in the *CARD14* gene have been found to cause the familial form of the disorder in a few affected families. The *CARD14* gene provides instructions for making a protein that turns on (activates) a group of interacting proteins known as nuclear factor-kappa-B (NF-κB). NF-κB regulates the activity of multiple genes, including genes that control the body's immune responses and inflammatory reactions. It also protects cells from certain signals that would otherwise cause them to self-destruct (undergo apoptosis).

The *CARD14* protein is found in many of the body's tissues, but it is particularly abundant in the skin. NF-κB signaling appears to play an important role in regulating inflammation in the skin. Mutations in the *CARD14* gene lead to overactivation of NF-κB signaling, which triggers an abnormal inflammatory response. Researchers are working to determine how these changes lead to the specific features of familial pityriasis rubra pilaris.

## **Inheritance Pattern**

Familial pityriasis rubra pilaris usually has an autosomal dominant inheritance pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Affected individuals usually inherit the condition from one affected parent. However, the condition is said to have incomplete penetrance because not everyone who inherits the altered gene from a parent develops the condition's characteristic skin abnormalities.

The other types of pityriasis rubra pilaris are sporadic, which means they occur in people with no history of the disorder in their family.

## **Other Names for This Condition**

- familial PRP

## **Diagnosis & Management**

### Genetic Testing

- Genetic Testing Registry: Pityriasis rubra pilaris  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0032027/>

### General Information from MedlinePlus

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Pityriasis Rubra Pilaris  
<https://medlineplus.gov/ency/article/001471.htm>
- Encyclopedia: Pityriasis Rubra Pilaris - Close-Up (image)  
<https://medlineplus.gov/ency/imagepages/2566.htm>
- Health Topic: Skin Conditions  
<https://medlineplus.gov/skinconditions.html>

### Genetic and Rare Diseases Information Center

- Pityriasis rubra pilaris  
<https://rarediseases.info.nih.gov/diseases/7401/pityriasis-rubra-pilaris>

### Educational Resources

- British Association of Dermatologists  
<http://www.bad.org.uk/for-the-public/patient-information-leaflets/pityriasis-rubra-pilaris#.UzluNVcjTHk>
- Disease InfoSearch: Pityriasis rubra pilaris  
<http://www.diseaseinfosearch.org/Pityriasis+rubra+pilaris/5786>
- Orphanet: Pityriasis rubra pilaris  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=2897](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2897)

### Patient Support and Advocacy Resources

- Foundation for Ichthyosis and Related Skin Types (FIRST)  
<http://www.firstskinfoundation.org/>
- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/pityriasis-rubra-pilaris/>
- Resource List from the University of Kansas Medical Center: Skin / Dermatological Conditions  
<http://www.kumc.edu/gec/support/derm.html>

### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22familial+pityriasis+rubra+pilaris%22+OR+%22Pityriasis+Rubra+Pilaris%22>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28pityriasis+rubra+pilaris%5BTIAB%5D%29+AND+%28familial%5BTIAB%5D%29%29+OR+%28%28pityriasis+rubra+pilaris%5BTIAB%5D%29+AND+%28juvenile%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

### OMIM

- PITYRIASIS RUBRA PILARIS  
<http://omim.org/entry/173200>

## Sources for This Summary

- Fuchs-Telem D, Sarig O, van Steensel MA, Isakov O, Israeli S, Noursbeck J, Richard K, Winnepenninckx V, Vernooij M, Shomron N, Uitto J, Fleckman P, Richard G, Sprecher E. Familial pityriasis rubra pilaris is caused by mutations in CARD14. *Am J Hum Genet.* 2012 Jul 13;91(1):163-70. doi: 10.1016/j.ajhg.2012.05.010. Epub 2012 Jun 14.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22703878>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3397268/>
- Klein A, Landthaler M, Karrer S. Pityriasis rubra pilaris: a review of diagnosis and treatment. *Am J Clin Dermatol.* 2010;11(3):157-70. doi: 10.2165/11530070-000000000-00000. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/20184391>
- Sehgal VN, Srivastava G. (Juvenile) Pityriasis rubra pilaris. *Int J Dermatol.* 2006 Apr;45(4):438-46. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16650174>
- Thomson MA, Moss C. Pityriasis rubra pilaris in a mother and two daughters. *Br J Dermatol.* 2007 Jul;157(1):202-4. Epub 2007 May 8.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17489979>
- Vanderhooft SL, Francis JS, Holbrook KA, Dale BA, Fleckman P. Familial pityriasis rubra pilaris. *Arch Dermatol.* 1995 Apr;131(4):448-53.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/7726588>
- Vasher M, Smithberger E, Lien MH, Fenske NA. Familial pityriasis rubra pilaris: report of a family and therapeutic response to etanercept. *J Drugs Dermatol.* 2010 Jul;9(7):844-50.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/20677542>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/familial-pityriasis-rubra-pilaris>

Reviewed: March 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services